



PGY-1:

- 1. Patients are admitted to the SSTEP pathway by the ED PGY-3 surgical resident. There is a standardized admission order panel titled "SSTEP (Frailty) order panel" that they use in conjunction with the admission order set.
- 2. When arrive to floor, ensure admission orders are in place. Use the pocket card (located in 12th floor workroom) for reference
- 3. If you patient is delirious, use the **delirium algorithm** located on the back of the pocket card. Contact geriatrics if any questions regarding management.
- 4. Ensure you include fall prevention discharge instructions at discharge (.dcinsstep).

PGY-2:

- 1. Patients are admitted to the SSTEP pathway by the ED PGY-3 surgical resident. There is a standardized admission order panel titled "SSTEP (Frailty) order panel" that they use in conjunction with the admission order set.
- 2. When arrive to floor, ensure admission orders are in place. Use the pocket card (located in 12th floor workroom) for reference
- 3. If you patient is delirious, use the delirium algorithm located on the back of the pocket card. Contact geriatrics if any questions regarding management.
- 4. Ensure you include fall prevention discharge instructions at discharge (.dcinsstep).

PGY-3:

- 1. Screen every Code Alpha or Code Trauma ≥ 65y for frailty using the **FRAIL scale** (Printed by computers in ED and on pocket card - extras in 12th floor workroom)
- 2. Indicate which of the FRAIL criteria are positive in your admission note (.bwhgsstepadmission)
- 3. Use the SSTEP (Frailty) order panel in conjunction with your admission order set



PGY-4:

- 1. Every Code Alpha/Trauma \geq 65y should be screened for frailty using the **FRAIL scale**
- 2. Pts are admitted to the SSTEP pathway by the ED PGY-3 surgical resident. There is a standardized admission order panel titled "SSTEP (Frailty) order panel" that they should use in conjunction with the admission order set.
- 3. RCs should **ensure all orders are placed correctly** upon a patient's arrival to the floor/ICU.
- 4. If your patient is delirious, RCs should use the **delirium algorithm** on their pocket card. If RCs have questions during daytime hours, they can contact geriatrics for assistance.
- 5. At discharge, pts should receive **fall prevention instructions** from the RC (.dcinsstep).

PGY-5:

- 1. Every Code Alpha/Trauma > 65y should be screened for frailty using the FRAIL scale
- 2. Pts are admitted to the SSTEP pathway by the ED PGY-3 surgical resident. There is a standardized admission order panel titled "SSTEP (Frailty) order panel" that they should use in conjunction with the admission order set.
- 3. RCs should **ensure all orders are placed correctly** upon a patient's arrival to the floor/ICU.
- 4. If your patient is delirious, RCs should use the **delirium algorithm** on their pocket card. If RCs have questions during daytime hours, they can contact geriatrics for assistance.
- 5. At discharge, they should receive **fall prevention instructions** from the RC (.dcinsstep).

If you have any questions about SSTEP, please contact:

1st Lynne O'Mara PA-C <u>Imomara@bwh.harvard.edu</u>, c603-682-1529, p 34263
2nd Katherine Palm (Injury Prevention Coordinator) <u>KPALM@BWH.HARVARD.EDU</u>
3rd Dr. Zara Cooper <u>zcooper@bwh.harvard.edu</u>